

Safety Data Sheet according to (EC) No 1907/2006 - ISO 11014-1

Page 1 of 3

LOCTITE 55 150M UK

sds no. : 168432 V002.0 Revision: 17.05.2010 printing date: 07.06.2011

1. Identification of the substance/preparation and of the company/undertaking

Trade name: LOCTITE 55 150M UK

Intended use: Coated Nylon Thread

Company name:

Henkel Ireland Limited Product Safety & Regulatory Affairs Tallaght Business Park, Whitestown Dublin 24

Ireland

Phone: +353 (14046444) Fax-no.: +353 (14519926)

E-mail address of person responsible for Safety Data Sheet: ua-productsafety.uk@uk.henkel.com

Emergency information:

24 Hours Emergency Tel: +44 (0)1442 278497

2. Hazards identification

None if used properly.

3. Composition / information on ingredients

General chemical description:

Coated Nylon Thread

Declaration of ingredients according to (EC) No 1907/2006:

Coated Nylon Thread Pipe Sealant is an article. According to EU Directives it does not require a Safety Data Sheet.

4. First aid measures

Skin contact:

Rinse with running water and soap.

5. Fire fighting measures

Suitable extinguishing media: water, carbon dioxide, foam, powder

6. Accidental release measures

Environmental precautions:

No special environmental precautions required.

7. Handling and storage

Handling:

No particular measures required.

Storage:

Store in a cool, dry place. Keep container tightly sealed.

8. Exposure controls / personal protection

Components with specific control parameters for workplace:

Hand protection:

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (IIR; ≥ 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (IIR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

General protection and hygiene measures:

Good industrial hygiene practices should be observed.

9. Physical and chemical properties

solid material solid material White

Characteristic

General characteristics:

Appearance

Odor:

Phys./chem. properties:

Flash point Solubility (qualitative) (20 °C (68 °F); Solvent: Water) VOC content (1999/13/EC) > 93 °C (> 199.4 °F) partially soluble

< 3 %

10. Stability and reactivity

Conditions to avoid: Stable

Oral toxicity:

This material is considered to have low toxicity if swallowed.

Inhalative toxicity:

Not considered harmful under normal conditions of industrial use.

Skin irritation:

This product is considered to have low dermal toxicity.

Eye irritation:

not irritating

12. Ecological information

General ecological information:

Biological and Chemical Oxygen Demands (BOD and COD) are insignificant. Precautions required with respect to Environmental Hazards of articles in which this product is used should be considered.

13. Disposal considerations

Product disposal:

Dispose of in accordance with local and national regulations.

14. Transport information

General information:

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

15. Regulations - classification and identification

Risk phrases: not applicable

16. Other information

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Coated Nylon Thread Pipe Sealant is an article. According to EU Directives it does not require a Safety Data Sheet.