



## **FOOD SAFE ELECTRICAL CONTACT CLEANER**

# **FS ELEC TECH AEROSOL**

### *Product Overview*

*FS Elec-Tech is a highly refined solvent cleaner and lubricant for use on electrical and electronic components. It is used to remove dirt and grease from the surface of metals, plastics and painted surfaces, including chlorinated rubber finishes and will leave a thin protective coating of water resistant non conductive lubricant. It does not contain any chlorinates has a low odour and is clean in use.*

### *Typical Applications*

- **Switches**
- **Potentiometers**
- **Electrical contacts**
- **Generators**

### *Features and Benefits*

- Clean and non-staining.
- INS H1 registered can be used in food production areas.
- Fast evaporation
- Safe to use on most plastic surfaces
- Fast degreasing action
- Low odour
- No chlorinates
- Low toxicity

### *Directions for Storage and Use*

*Product is to be stored in a clean, dry, storage area in its original sealed packaging. Container not to exceed 50°C*

*Spray onto parts to be cleaned and allow solvents to evaporate before use.*

#### **Disclaimer**

The data sheet is based on personal knowledge and experience and is given as a guideline to its possible uses. It does not take into account variables or conditions out of our control that can affect our product in any way. It is the users' sole responsibility to ensure that the product is suitable for the purpose for which it is being used and this data does not in any way form a warranty. If you are unsure of its suitability please contact us and we will be happy to discuss your needs and supply a sample for testing if required. New Tech Lubes Ltd is committed to supplying the best products and may therefore change the information in this specification at any time.

Available Sizes
400ml Aerosol

Available Grades

Physical Characteristics	
<b>Solubility</b>	Insoluble in water
<b>Colour</b>	Clear
<b>Container</b>	Aerosol
<b>Propellant</b>	Hydrocarbon
<b>Flashpoint (closed cup)</b>	40°C (when first applied and wet)
<b>Flashpoint (closed cup)</b>	200°C (when lighter elements evaporated)

### *Safety Data Sheets*

*Safety data sheets are available for download from our website, scan the QR code to take you to our website*



[www.newtechlubes.com](http://www.newtechlubes.com)



**New  
Tech  
Lubes  
Limited**

Unit 3 & 4  
Harrison Drive Ind Est  
Worksop, Nottinghamshire  
UK, S81 9RL

t. 01909 730900  
f. 01909 730909  
e. [info@newtechlubes.com](mailto:info@newtechlubes.com)  
w. [www.newtechlubes.com](http://www.newtechlubes.com)

