



SAFETY DATA SHEET According to EC Regulations 1907/2006 & 1272/2008 NTL SDS 115-1.0 August 2016

Unit 3 & 4
Harrison Drive Ind Est
Worksop, Nottinghamshire
UK, S81 9RL

t. 01909 730900
f. 01909 730909
e. info@newtechlubes.com
w. www.newtechlubes.com

@newtechlubes.com

NICKEL TECH

SECTION 1. IDENTIFICATION OF THE PREPARATION AND THE COMPANY / UNDERTAKING

- | | |
|---------------------------------|---|
| 1.1 Product Name: | Nickel Tech |
| 1.2 Identified uses: | Anti Seize Lubricant. |
| Use's advised against | None known. |
| 1.3 Details of supplier of SDS: | New Tech Lubes Ltd, Unit 3 Harrison Drive Ind Est, Worksop Notts, S81 9RL |
| E Mail (competent person) | info@newtechlubes.com |
| 1.4 Emergency Telephone: | +44 (0)1909 730900 (09.00 -17.00 GMT Monday to Friday) |

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance /mixture:

2.1.1 Regulation EC 1272/2008:

STOT RE 1: H372; Carc. 2: H351; Skin Sens. 1: H317

: May cause an allergic skin reaction.

Suspected of causing cancer.

Causes damage to organs through prolonged or repeated exposure.

- | | |
|---------------------|---|
| 2.2 Label elements: | GHS07: Exclamation mark
GHS08: Health hazard |
|---------------------|---|



Signal word(s): Danger

Hazard statements: H317: May cause an allergic skin reaction.
H351: Suspected of causing cancer.
H372: Causes damage to organs through prolonged or repeated exposure.

Precautionary statements: P202: Do not handle until all safety precautions have been read and understood.
P264: Wash thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P308+313: IF exposed or concerned: Get medical advice/attention.
P314: Get medical advice/attention if you feel unwell.
P302+352: IF ON SKIN: Wash with plenty of water/.
P270: Do not eat, drink or smoke when using this product.P501: Dispose of contents/container to local/national regulations

2.3 Other hazards

The mixture does not contain any vPvB or PBT substances.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Mixture:

Blend of severely hydrocracked mineral oil, thickener, nickel, graphite and additives

3.2 Additional information

	Cas No	CLP Classification	%
Nickel Powder	7440 02 0	Carc. 2: H351; STOT RE 1: H372; Skin Sens. 1: H317 Aquatic Chronic 3: H412	2 – 15%

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures:

Eyes: Remove contact lenses. Rinse with water immediately for at least 10 minutes. Obtain medical attention if any discomfort continues.

Skin: Wash skin with soap and water. If grease has been injected under the skin, seek Medical advice immediately

Ingestion: If swallowed, drink plenty of water. Do not induce vomiting. Obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed.

N/A

4.3 Indication of any immediate medical attention and special treatment needed.

N/A

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media: Use water Spray to cool containers. Use foam, dry chemical, carbon dioxide or suitable extinguishing media.

Unsuitable extinguishing media: Water stream

5.2 Special hazards arising from the substance or mixture

This product may give rise to hazardous fumes in a fire.

5.3 Advice for fire fighters

Wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES:

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment as in Sect 8.

6.2 Environmental precautions.

Prevent from entering drainage systems or water courses.

6.3 Methods and material for containment and clearing

Transfer into suitable containers for recovery or disposal. Scrub area with detergent and water to prevent slippery residues.

6.4 Reference to other sections

For PPE and disposal see sections 8 and 13 respectively.

SECTION 7. HANDLING AND STORAGE:

7.1 Precautions for safe handling

Avoid direct contact.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, ventilated area.

7.3 Specific end use (s)

For general lubrication for equipment and machinery

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Workplace exposure limits: N/A

	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
Nickel AS	OES	5 mg/m ³	OES 10 mg/m ³	

8.2 Exposure controls

8.2.1 Appropriate engineering controls: Ensure good ventilation /local exhaust ventilation to keep airborne contaminants below exposure limits.

8.2.2 Personal protective equipment:



Eye / face protection: Safety goggles/glasses if there is a risk of eye contact.

Skin protection: PVC gloves

Respiratory protection: Not required under normal circumstances.

Thermal hazards: Not applicable

8.2.3 Environmental exposure controls – See sections 6, 12, 13.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance/physical state:	Smooth Grease
Colour:	Grey
Odour:	Slight
Flash Point	Exceeds 200°C
Density:	0.82 - 0.85 (measured as kg/litre)
Solubility in Water:	Insoluble

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reactions known under normal conditions of use.

10.2 Chemical Stability

Stable under proper storage and handling conditions.

10.3 Possibility of chemical reactions

No dangerous reactions known.

10.4 Conditions to avoid

Heat, flame and other ignition sources.

10.5 Incompatible materials

Avoid contact with strong oxidising agents

10.6 Hazardous decomposition products

Combustion will generate: smoke, carbon dioxide and carbon monoxide

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Low order of acute toxicity.

11.1.2. Mixtures

Acute toxicity	}	No data available
Irritation		
Corrosivity		
Sensitisation		
Repeated dose toxicity		
Carcinogenicity		
Mutagenicity		
Toxicity for reproduction		

Other information

Low order of acute toxicity.

SECTION 12 ECOLOGICAL INFORMATION:

Mixture

12.1 Toxicity

12.2 Persistence and degradability

Only slightly biodegradable.

12.3 Bioaccumulative potential

Product is not expected to bio-accumulate.

12.4 Mobility in soil

12.4 results of PBT and vPvB assessment

12.6 Other adverse effects.

SECTION 13 DISPOSAL CONSIDERATIONS:

13.1 Waste Treatment Methods

Dispose in a regulated landfill site or other method for hazardous or toxic waste. Dispose of in accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION:

14.1 UN number	Not Classified
14.2 UN proper shipping name	Not Classified
14.3 Transport hazard class	Non Classified
ADR Classification code	Non Classified
14.4 Packing group	None
14.5 Environmental hazards	Not applicable

SECTION 15. REGULATORY INFORMATION:

Hazard Symbols:	No Significant Hazard
R Phrases :	None
S Phrases:	None

SECTION 16. OTHER INFORMATION:

Contains only FDA listed ingredients.

Legend

LTEL	Long term exposure limit
STEL (SE)	Short term exposure limit (Single exposure)
STOT	Specific target organ toxicity
PNEC	Predicted no effect concentration
DNEL	Derived no effect level

Classification methods used to derive classification of mixture

Classification according to calculation procedure detailed in EC1272/2008

Additional information

Phrases used in section 2&3

H317: May cause an allergic skin reaction.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H372: Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H412: Harmful to aquatic life with long lasting effects

This safety data sheet has been produced based on information supplied by the manufacturers of the materials therein and is believed to be accurate. No warranty is expressed or implied by this information. It is for the user to satisfy themselves of the suitability of the product for their own purposes.