New Tech Lubes Limited

SAFETY DATA SHEET According to EC Regulations 1907/2006 & 1272/2008 NTL SDS 162-1.0 **August 2016**



Unit 3 & 4 Harrison Drive Ind Est Worksop, Nottinghamshire UK. S81 9RL

- t. 01909 730900
- f. 01909 730909
- e. info@newtechlubes.com
- w. www.newtechlubes.com

mewtechlubes.com

RED RUBBER GREASE

SECTION 1. IDENTIFICATION OF THE PREPARATION AND THE COMPANY / UNDERTAKING

1.1 Product Name: Red Rubber Grease

1.2 Identified uses: Lubricant Use's advised against None known.

1.3 Details of supplier of SDS: New Tech Lubes Ltd, Unit 3 Harrison Drive Ind Est, Worksop

Notts, S81 9RL

E Mail (competent person) info@newtechlubes.com

1.4 Emergency Telephone: +44 (0)1909 730900 (09.00 -17.00 GMT Monday to Friday)

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance /mixture:

2.1.1 Regulation EC 1272/2008: N/A

2.2 Label elements: N/A

> Signal word(s): N/A

> **Hazard statements:** N/A

> **Precautionary statements:** N/A

2.3 Other hazards

The mixture does not contain any vPvB or PBT substances.

SECTION 3. **COMPOSITION / INFORMATION ON INGREDIENTS**

3.1 Mixture:

> propylene carbonate CAS number: 108-32-7

Classification

Eye Irrit. 2 - H319

EC number: 203-572-1

3.2 Additional information

N/A

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures:

Eyes: Remove contact lenses. Rinse with water immediately for at least 10 minutes. Obtain

medical attention if any discomfort continues.

Skin: Wash skin with soap and water. If grease has been injected under the skin, seek Medical

advice immediately

Ingestion: If swallowed, drink plenty of water. Do not induce vomiting. Obtain immediate medical

attention.

4.2 Most important symptoms and effects, both acute and delayed.

N/A

4.3 Indication of any immediate medical attention and special treatment needed.

N/A

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media: Use water Spray to cool containers. Use foam, dry chemical,

carbon dioxide or suitable extinguishing media.

Unsuitable extinguishing media: Water stream

5.2 Special hazards arising from the substance or mixture

This product may give rise to hazardous fumes in a fire.

5.3 Advice for fire fighters

Wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES:

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment as in Sect 8.

6.2 Environmental precautions.

Prevent from entering drainage systems or water courses.

6.3 Methods and material for containment and clearing

Transfer into suitable containers for recovery or disposal. Scrub area with detergent and water to prevent slippery residues.

6.4 Reference to other sections

For PPE and disposal see sections 8 and 13 respectively.

SECTION 7. HANDLING AND STORAGE:

7.1 Precautions for safe handling

Avoid direct contact.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, ventilated area.

7.3 Specific end use (s)

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Workplace exposure limits:

xylene

Long-term exposure limit (8-hour TWA): WEL 50 ppm 220 mg/m³
Short-term exposure limit (15-minute): WEL 100 ppm 441 mg/m³

Sk

ethylbenzene

Long-term exposure limit (8-hour TWA): WEL 100 ppm 441 mg/m³ Short-term exposure limit (15-minute): WEL 125 ppm 552 mg/m³

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

Biological limit value: Not established PNECs, DNELs: Not established

8.2 Exposure controls

8.2.1 Appropriate engineering controls: Ensure good ventilation /local exhaust ventilation to keep airborne

contaminants below exposure limits.

8.2.2 Personal protective equipment:





Eye / face protection: Safety goggles/glasses if there is a risk of eye contact.

Skin protection: PVC gloves

Respiratory protection: Not required under normal circumstances.

Thermal hazards: Not applicable

8.2.3 Environmental exposure controls – See sections 6, 12, 13.

.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance/physical state: Grease Colour: Red

Odour: Characteristic
Flash Point Exceeds 200°C

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reactions known under normal conditions of use.

10.2 Chemical Stability

Stable under proper storage and handling conditions.

10.3 Possibility of chemical reactions

No dangerous reactions known.

10.4 Conditions to avoid

Heat, flame and other ignition sources.

10.5 Incompatible materials

Avoid contact with strong oxidising agents

10.6 Hazardous decomposition products

Combustion will generate: smoke, carbon dioxide and carbon monoxide

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

IARC carcinogenicity Contains a substance which may be potentially carcinogenic. IARC Group 2B Possibly carcinogenic to humans.

SECTION 12 ECOLOGICAL INFORMATION:

Ecotoxcity Not regarded as dangerous for the environment. However, large or frequent spills may

have hazardous effects on the environment.

12.1 Toxicity

12.2 Persistence and degradability

No Data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.4 results of PBT and vPvB assessment

12.6 Other adverse effects. None known

SECTION 13 DISPOSAL CONSIDERATIONS:

13.1 Waste Treatment Methods

Dispose in a regulated landfill site or other method for hazardous or toxic waste. Dispose of in accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION:

14.1 UN number Not Classified
 14.2 UN proper shipping name Not Classified
 14.3 Transport hazard class Non Classified
 ADR Classification code Non Classified

14.4 Packing group None

14.5 Environmental hazards Not applicable

SECTION 15. REGULATORY INFORMATION:

National regulations

Health and Safety at Work etc. Act 1974 (as amended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

SECTION 16. OTHER INFORMATION:

Legend

LTEL Long term exposure limit

STEL (SE) Short term exposure limit (Single exposure)

STOT Specific target organ toxicity
PNEC Predicted no effect concentration

DNEL Derived no effect level

Classification methods used to derive classification of mixture

Classification according to calculation procedure detailed in EC1272/2008

Additional information

This safety data sheet has been produced based on information supplied by the manufacturers of the materials therein and is believed to be accurate. No warranty is expressed or implied by this information. It is for the user to satisfy themselves of the suitability of the product for their own purposes.