

MECHANIC'S UTILITY SEAT & TOOLBOX MODEL NO: SCR18 SERIES

Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.



instruction manual

1. SAFETY

- WARNING! Ensure Health & Safety, local authority, and general workshop practice regulations are adhered to when using this seat.
- Locate seat in a suitable working area.
- **WARNING!** Use the seat on level and solid ground, preferably concrete.
- ✓ Keep the seat clean and tidy in accordance with good workshop practice.
- **x DO NOT** use the seat for any purpose other than that for which it is designed.
- **× DO NOT** stand on the seat.
- **× DO NOT** use the seat outdoors.
- DO NOT get the seat wet or use in damp or wet locations or areas where there is condensation.
- * DO NOT clean the seat with any solvents which may damage the paint surface or the protective coating on the padded seat.
- **DO NOT** exceed maximum capacity of 136kg.

2. INTRODUCTION

Mobile utility seat, toolbox solution for keeping commonly used tools to hand. Features two folding side trays for storing nuts and bolts during use. Twin can capacity drinks holder and screwdriver storage rack on the rear. Four Ø60mm oil resistant swivel castors for easy manoeuvrability. Thick vinyl padded seat for added comfort. Suitable for the professional workshop.

3. SPECIFICATION

4. ASSEMBLY

Refer to Parts Diagram and fig.1

- **4.1.** Carefully unpack contents. Seat (1), support tube (2) and support frame (25) are pre-assembled.
- **4.2.** Rest seat (1), support tube (2) and support frame (25) , upside down in order to complete assembly. Use packaging to protect the seat.

4.3. FIT TRAYS

- 4.3.1. Fit trays onto the ends of the support tubes (2). Ensure trays are orientated to hinge upwards.
- 4.3.2. Note the position of shorter screws (10). Longer screws (8) are used to secure the connection plates (11) through the support tubes (2) and trays (14).
- 4.3.3. Secure with flat washer (6) and domed nut (5). Leave nuts loose until assembly has been completed then tighten securely.
 FIT CASTORS (9).
- 4.4.1. Secure with castor nut (17).
- 4.5. FIT TWIN CAN HOLDER/STORAGE RACK
- 4.5.1. Carefully turn seat correct way up.
- 4.5.2. Use bolt (22) to attach to rear of seat.





ENVIRONMENT PROTECTION

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.

Note: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice.

Important: No Liability is accepted for incorrect use of this product.

Warranty: Guarantee is 12 months from purchase date, proof of which is required for any claim.

Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR